

Mini leak sealing bags



- Quickly attached with Velcro belt
- Delivered in practical case
- Up to 1.4 bar (20.3 psi) counterpressure
- For containers with diameters 10 – 90 cm (4 – 35 inch)



www.vetter.de/vetter_emergency/en/Rescue+Products/Sealing+leaks/Mini+leak+sealing+bags.html

The small and quick leak- stoppers.

Vetter mini leak sealing bags are ideal for leaks in small containers with a diameter between 10 and 90 cm (4 and 35 inch). The mini leak sealing bags securely seal liquids and gases, are easy to attach and provide a quick solution in emergencies. The maximum working pressure of 1.5 bar (21.75 psi) is soon reached with just a few strokes of the foot pump - and the container is sealed. Quick and safe Velcro fasteners on the metal- free tension belts make light work of attaching the sealing bags - even in difficult positions.

Mini leak sealing bags set



Mini leak sealing bags set

1500009400

- Mini leak sealing bags type LDK 10 / 10, 10 / 25, 20 / 20
- Foot pump with safety valve 1.5 bar (21.75 psi)
- 2 tension belts, 150 cm (59 inch) and 3 tension belts, 300 cm (117 inch), blue
- Transport case 600 x 400 x 183 mm (24 x 16 x 7.1 inch)

Weight of set, approx: 10.4 kg (23 lbs)

Technical data

Uniform sealing pressure of 14 m WC (20.3 psi).

- Working pressure: 1.5 bar (21.75 psi)
- Test pressure: 1.95 bar (28.5 psi)

* around valve + 6 mm (0.2 inch)

Product	Art. no.	Size (L x W x H) cm / inch	Sealing area cm / inch	Air requirement, at working pressure litres / cu.ft.	Weight, approx. kg / lbs
LDK 10/10	1500008300	15 x 15 x 1,2* 6 x 6 x 0,5*	9,5 x 9,5 3,7 x 3,7	0,8 0,03	0,5 1,1
LDK 10/25	1500008500	15 x 31 x 1,2* 6 x 12 x 0,5*	9,5 x 25,5 3,7 x 10	1,3 0,05	0,8 1,8
LDK 20/20	1500008600	25 x 25 x 1,2* 10 x 10 x 0,5*	19,5 x 19,5 7,7 x 7,7	5,0 0,18	1,1 2,4

Accessories

- Inflation hoses 1.5 bar (21.75 psi)
- Controllers 1.5 bar (21.75 psi)
- Foot pump 1.5 bar (21.75)
- Inflation with cylinder
- Inflation with alternative air source



In operation...

- Small containers
- Pipes
- Rolling hoop drums
- Containers with diameters 10 - 90 cm (4 - 35 inch)



Good reasons...

- Flat design (1.2 cm / 0.5 inch)
- Low air requirement
- Can be inflated with a foot pump



Guaranteed quality:

- Individually tested (with inspection seal)
- Good resistance to chemicals

Please contact us directly should you have any further questions concerning this product.

Sales Germany
Phone.: +49 (0) 22 52 / 30 08-50
Fax: +49 (0) 22 52 / 30 08-70
E- Mail: vetter.info@idexcorp.com

Sales international
Phone.: +49 (0) 22 52 / 30 08-60
Fax: +49 (0) 22 52 / 30 08-71
E- Mail: vetter.info@idexcorp.com

Or find the nearest dealer under:
[www.vetter.de/ support/ haendler](http://www.vetter.de/support/haendler)
