

Ultra flat bags 116 psi



- Flexible in use
- Insertion height only 1.2 cm (0.5 inch)
- Ready to use in seconds
- An indispensable tool



www.vetter.de/vetter_emergency/en/Rescue+Products/Lifting+bags/Ultra+flat+bags+116+psi.html

The unbeatably flat first- aider.

With their super- flat insertion height of only 1.2 cm (0.5 inch), Vetter ultra flat bags are the ideal first- aider at the rescue site, fitting into the smallest of gaps. They exert their strength in the most confined spaces and make room for other rescue tools. Thanks to their low air requirement and extreme ease of use, Vetter ultra flat bags are ready to use in seconds. In short: an indispensable tool in a wide range of situations.

Emergency Pneumatics

Technical data

Unrivalled low insertion height of only 1.2 cm* (0.5 inch).

- Working pressure: 8 bar (116 psi)
- Test pressure: 12 bar (174 psi)
- Burst pressure, at least: 32 bar (464 psi)

*around valve + 6 mm (0.2 inch)

Product	Art. no.	Lifting power, max. t / US tons	Lifting height, max. cm / inch	Size cm / inch	Air requirement, at working pressure litres / cu.ft.	Weight, approx. kg / lbs
UF 1	1314018800	1,0 1,1	7,5 3,0	14 x 13 5,5 x 5,1	2,8 0,1	0,3 0,6
UF 3	1314018700	3,3 3,6	12,0 4,7	25,5 x 20 10 x 7,9	15,9 0,8	0,7 1,6
UF 6	1314018600	6,4 7,0	16,5 6,5	29,5 x 29,5 11,6 x 11,6	37,8 1,3	1,3 2,9
UF 10	1314020700	9,6 10,6	20,3 8,0	36 x 36 14 x 14	74,2 2,6	1,7 3,8

Accessories

- Inflation hoses 8 bar (116 psi)
- Shut-off units 8 bar (116 psi)
- Controllers 8 bar (116 psi)
- Inflation with cylinder
- Inflation with alternative air source



In operation...

- Freeing trapped persons
- Preliminary measures
- Freeing trapped limbs
- Enlarging smallest openings at accidents



Good reasons...

- Super-flat insertion height of only 1.2 cm (0.5 inch)
- Flexible and easy to use
- Aramid-reinforced



Guaranteed quality:

- Individually tested (with inspection seal)
- Safety factor greater than 4:1
- Complies with EN 13731 (independently tested)
- 3-year guarantee

Please contact us directly should you have any further questions concerning this product.

Sales Germany
Phone.: +49 (0) 22 52 / 30 08-50
Fax: +49 (0) 22 52 / 30 08-70
E-Mail: vetter.info@idexcorp.com

Sales international
Phone.: +49 (0) 22 52 / 30 08-60
Fax: +49 (0) 22 52 / 30 08-71
E-Mail: vetter.info@idexcorp.com

Or find the nearest dealer under:
www.vetter.de/support/haendler
