

Mini- Permanent- Aspirator 2.0 MWF



- For vacuuming up and pumping off fluids
- Also suitable for dry suction mode
- Very high chemical resistance
- Modern design

www.vetter.de/vetter_emergency/en/Rescue+Products/Oil+and+water+aspirators/Mini+Permanent+Aspirator+2.0+MWF-p-4499.html

Tough mini vacuum with staying power

This vacuum is made for your mission: Specially developed for fire brigades, it satisfies all the demands placed on it in the field. Better still, it thinks along with you so you can concentrate on what matters while working with a tool that you can rely on to understand you.

Whether it's burst pipes, bad weather or an accident, with this mini permanent vacuum you are ready for flooding of any kind and can react immediately. Powerful and rugged, it makes a dependable partner for any scenario.

Chemical-resistant

- MPA 2.0 MWF container is made of rugged, fibreglass-reinforced plastic
- Certified quality: resists even the most aggressive chemicals

Compact, space-saving design

- Thoughtfully designed: saves valuable working area - during transport and in service
- Low weight for easy loading

Fire brigade-compliant

- Integrated Storz coupling for fast hose connection
- Pumps out liquids up to 11 m (36 ft.)

Easy handling



Emergency Pneumatics

- Pump can be switched on separately
- Integrated automatic shutoff at maximum fill level
- 6- metre (19 ft.) hose for ample working radius
- Special trolley for ergonomic operation

Emergency Pneumatics

Technical data

- Mains voltage: 230 V
- Frequency: 1~50 Hz
- Max. performance: 2350 W
- Power (tot.): 2000 W
- Rated power: 1200 W
- Capacity of the disposal pump: 800 W
- Container capacity: 60 l (2.1 cu.ft.)
- Filling quantity (liquid): 47 l (1.7 cu.ft.)
- Type of protection: IPX4
- Connector fire hose Storz C
- Protective class: I
- Suction hose connection (C- DN/ C- ID): 40 mm (1.6 inch)
- Max. ambient temperature: + 40 °C (104 °F)
- Typical operating weight (without accessory): 28 kg (61.7 lbs)

Product	Art. no.	Suction power air litres / min. / cu.ft. / min.	Suction power water litres / min. / cu.ft. / min.	Negative pressure mm WS / psi	Capacity collection containers litres / cu. ft.	Dimensions (L x W x H) cm / inch	Weight of set, approx. kg / lbs	Förderleistung Pumpe litres / min. / cu.ft. / min.
MPA 2.0 MWF	2220003200	3360 118,7	-- --	23,5 3,4	47 1,7	52 x 43 x 84 20,5 x 16,9 x 33,1	31,4 69,2	330 11,7

Accessories

- Suction hose, 6 m, oil resistant, incl. curved connecting pipe
- Suction pipe, stainless steel (2 parts)
- Ground nozzle, 370 mm
- Narrow space nozzle
- Exhaust nozzle for Decon- tub (optional)
- Shut- off unit Storz C (optional)
- Flat Fold Filter (optional)
- Paper filter 5 pieces (optional)



In operation...

- After floods and storms
- After pipe bursts and fires
- For fire services, technical relief organisations, etc.



Good reasons...

- Very high chemical resistance
- Ergonomic carrying
- Compact, modern design
- Integrated switch- off mechanism
- Compactly accommodated
- Easily removed engine head makes filter replacement and container cleaning easier



Guaranteed quality:

- Verifiably tested (inspection seal)
- Protection class I
- Protection rating IPX4
- Fulfils the latest EU directives and standards
- Latest state of the art

Please contact us directly should you have any further questions concerning this product.

Sales Germany
Phone.: +49 (0) 22 52 / 30 08-50
Fax: +49 (0) 22 52 / 30 08-70
E- Mail: vetter.info@idexcorp.com

Sales international
Phone.: +49 (0) 22 52 / 30 08-60
Fax: +49 (0) 22 52 / 30 08-71
E- Mail: vetter.info@idexcorp.com

Or find the nearest dealer under:
www.vetter.de/support/haendler
